

**TILLEY**

REGD.

*General Catalogue*

**THE TILLEY LAMP COMPANY LTD**

TILAMP HOUSE

70/72 JERMYN STREET PICCADILLY

LONDON SW1

# TILLEY LAMPS

## PRINCIPLES OF OPERATION

Tilley Lamps burn vapourised Paraffin (Kerosene) on an incandescent mantle. The initial vapourisation takes place by means of an asbestos clip soaked in methylated spirit which is then lighted and attached to the vapourising tube. The time for preheating is approximately two minutes.

This vapourising tube (known as the Vapouriser) passes through the mantle. This is considered superior to the method of most Paraffin Pressure Lamps in view of the fact that a great area of heat is maintained in the vapouriser while the lamp is alight, since it passes through the hot zone of the mantle. The fact that the Vapouriser is a straight tube (and not a spiral as in many models), combined with the above-mentioned passage through the hot zone gives less opportunity for carbonisation. Furthermore, the Vapouriser contains within itself a cleaning wire with a special fine point, and each time the Lamp is turned on or off the jet is automatically cleaned by this wire. This is a distinct advantage over the usual method of pricking out the jet.

The number of spare parts required for Tilley Lamps is few and most are common to all models. Furthermore, they are very easily assembled, all joints being hand tight ; this has the added advantage of facilitating in the repairs that are necessary.

Spare parts have been kept to a minimum and altogether the construction of the Lamp has been studied from the point of view of simplicity, so that those with very little technical knowledge can easily operate it.

*London Office :*

Tilamp House, 70/72 Jermyn Street, Piccadilly, London, S.W.1

# Index

<b>X246</b>	STORM LANTERN ... ..	1
<b>RI</b>	RADIATOR ... ..	3
<b>FL6</b>	FLOODLIGHT PROJECTOR ... ..	5
<b>DN250</b>	DOMESTIC IRON ... ..	7
<b>TL106/136</b>	TABLE LAMPS ... ..	9
<b>AL8/9</b>	TRACKWORK LAMPS ... ..	11
<b>AL15/16</b>	HAND LAMPS ... ..	13
<b>ML93</b>	BRACKET LAMP ... ..	15
<b>WL25</b>	INDOOR WALL LAMP ... ..	17
<b>SL61</b>	OUTDOOR WALL LAMP ... ..	19
<b>KL80</b>	HANGING LAMP ... ..	21
<b>IL47</b>	INDOOR SUSPENSION LAMP ... ..	23
<b>OL50</b>	OUTDOOR SUSPENSION LAMP ... ..	25
<b>OL51</b>	HIGH-POWER OUTDOOR SUSPENSION LAMP ... ..	27
<b>CHALLOW</b>	STATION SUSPENSION LAMP ... ..	29
<b>AL21</b>	INSPECTION LAMP ... ..	31
<b>BR49</b>	STORM LANTERN with Paraffin Lighter adaption ... ..	33
<b>IF54</b>	INFRA-RED HEATER ... ..	35
<b>R55</b>	LONG BURNING RADIATOR ... ..	37


---

# Model X246 STORM LANTERN

BURNS ORDINARY PARAFFIN (KEROSENE)



Page 1



The "Guardman"

## The Completely Stormproof ALL-WEATHER LANTERN

300 CANDLE POWER

- Completely storm-proof.
- Vitreous enamelled hood.
- Heat-resisting glass globe.
- Convenient carrying handle.
- Built-in pump, easily removed for servicing.
- Brass container finished either in sprayed gold lacquer or with highly plated finish.
- Supplied with robust, easily fitted, "Happy" mantle.
- 12 in. white enamelled reflector can be supplied at extra charge.

### SPECIFICATION:—

Height	...	...	...	...	13½ ins.	Weight (without Oil)	...	...	...	5 lbs.
Width (without Reflector)	...	...	...	...	7 ins.	Weight (with Oil)	...	...	...	6½ lbs.
Width (with Reflector)	...	...	...	...	12 ins.	Burns approx. 12 hours on 1½ pints of Paraffin (Kerosene).				

#### EXPORT PACKING

Packing Unit	Measurement	Gross Weight	Cubic Capacity
6 packed Lamps in outer carton	Inches : 23½ x 18½ x 15½ Centimetres : 59.70 x 47.00 x 39.37	2 qrs. 0 lbs. 25.40 kilos	4 cu. feet 0.11 cu. metres

# TILLEY LAMPS AND RADIATORS

REGD.


# Model RI RADIATOR SINGLE BURNER

BURNS ORDINARY PARAFFIN (KEROSENE)



Page 3

## A Completely Portable Radiator



The "Ambassador"

- Easily portable.
- Economical consumption of paraffin.
- Durable, asbestos mantle.
- Regulation safety fireguard.
- Container finished in cream and polished lacquered brass.
- Permanently brightly plated reflector.
- Built-in pump, easily removed for servicing.

### SPECIFICATION :—

Width	...	...	...	...	...	12 ins.
Height	...	...	...	...	...	17 ins.
Weight (without Oil)	...	...	...	...	...	4 lbs.
Weight (with Oil)	...	...	...	...	...	5½ lbs.
Oil Capacity	...	...	...	...	...	1½ pints

Approx. 12 hours' burning from 1½ pints Paraffin (Kerosene)

#### EXPORT PACKING

Packing Unit	Measurement	Gross Weight	Cubic Capacity
6 packed Radiators in outer carton	Inches : 33 x 22 x 14 Centimetres : 83.82 x 55.88 x 35.56	2 qrs. 6 lbs. 28.12 kilos	6 cu. feet 0.17 cu. metres

# TILLEY LAMPS AND RADIATORS

REGD.

# Model FL6 FLOODLIGHT PROJECTOR

BURNS ORDINARY PARAFFIN (KEROSENE)



Page 5



## A Completely Self-Contained Floodlight

5,000 Mean Reflected  
CANDLE POWER

- Easily portable.
- Completely storm-proof.
- Built-in pump, easily removed for servicing.
- Armour plate glass.
- Absolutely independent of cables or generating sets.
- Long burning time.
- Can be adapted for use either upon the ground or upon a Tripod, giving three different height levels, as illustrated.



### SPECIFICATION:—

Overall dimensions of Projector :

Breadth 14½ ins. x Depth 11½ ins. x Height 26 ins.  
 Diameter of Reflector ... .. 14 ins.  
 Centre of Reflector above ground with  
 Short Stand ... .. 18 ins.  
 Centre of Reflector above ground with Tripod Stand  
 8 ft. max. ; 5 ft. min.

Weight of Projector (without Oil) ... .. 22½ lbs.  
 Weight of Projector (with Oil) ... .. 28½ lbs.  
 Weight of Short Stand ... .. 5 lbs.  
 Weight of Tripod Stand ... .. 34 lbs.  
 Oil Capacity ... .. 6 pints  
 (Sufficient for about 48 burning hours.)

#### EXPORT PACKING

Packing Unit	Measurement	Gross Weight	Cubic Capacity
1 packed Floodlight in outer carton	Inches : 15½ x 15½ x 28 Centimetres : 39.37 x 39.37 x 71.12	1 qr. 16 lbs. 19.95 kilos	4 cu. feet 0.11 cu. metres
6 packed Floodlights in wood case	Inches : 51 x 38 x 33 Centimetres : 129.54 x 96.52 x 83.82	3 cwt. 3 qrs. 14 lbs. 196.80 kilos	37 cu. feet 1.05 cu. metres

# TILLEY LAMPS AND RADIATORS


REGD.

# Model DN250 DOMESTIC IRON

BURNS ORDINARY PARAFFIN (KEROSENE)



Page 7



A  
Domestic  
Iron

independent  
of  
Mains & Flexes

- Beautifully modern appearance.
- Absolutely independent of electricity supply.
- Can be used indoors or out-of-doors.
- Variable heat control.
- Finished in black and cream with chromium plated sole plate.
- Built-in pump, easily removed for servicing.

## SPECIFICATION:—

Weight (without Oil) ... .. 4½ lbs.  
 Weight (with Oil) ... .. 5¼ lbs.  
 4 hours' ironing on ½-pint of Paraffin (Kerosene).

### EXPORT PACKING

Packing Unit	Measurement	Gross Weight	Cubic Capacity
12 packed Irons in outer carton	Inches : 24 x 17 x 15 Centimetres : 61.00 x 43.18 x 38.10	3 qrs. 4 lbs. 39.91 kilos	4 cu. feet 0.11 cu. metres

# TILLEY LAMPS AND RADIATORS

REGD.

# Models TL106 and TL136 TABLE LAMPS

BURNS ORDINARY PARAFFIN (KEROSENE)



Page 9



## A Handsome Source of Illumination

- Beautiful appearance to tone with any furnishing scheme.
- Supplied in two heights, 21½ in. (TL106) 16½ in. (TL136).
- Finished in polished lacquered brass and cream enamel.
- Supplied complete with specially designed plastic shade.
- Heat-resisting glass globe.
- Supplied with robust, easily fitted, "Happy" mantle.
- Built-in pump, easily removed for servicing.

### SPECIFICATION:—

#### TL106. 300 CANDLE POWER (The "Queen")

Height ... .. 21½ ins.  
 Width (with Shade) ... .. 14 ins.  
 Weight (without Oil) ... .. 4 lbs.  
 Weight (with Oil) ... .. 5½ lbs.  
 Burns approx. 12 hours on ½ pints of Paraffin (Kerosene).

#### TL136. 300 CANDLE POWER (The "Princess")

Height ... .. 16½ ins.  
 Width (with Shade) ... .. 14 ins.  
 Weight (without Oil) ... .. 3¾ lbs.  
 Weight (with Oil) ... .. 5½ lbs.  
 Burns approx. 12 hours on ½ pints of Paraffin (Kerosene).

#### EXPORT PACKING

Packing Unit	Measurement	Gross Weight	Cubic Capacity
TL106. 6 packed Lamps in outer carton	Inches : 36½ x 16½ x 16 Centimetres : 100.33 x 42.10 x 41.00	1 qr. 25 lbs. 24.03 kilos	6 cu. feet 0.17 cu. metres
TL136. 6 packed Lamps in outer carton	Inches : 24 x 20 x 17 Centimetres : 61.00 x 50.80 x 43.18	1 qr. 18 lbs. 20.86 kilos	5 cu. feet 0.14 cu. metres

# TILLEY LAMPS AND RADIATORS


REGD.

# Models AL8 and AL9 TRACKWORK LAMPS

BURNS ORDINARY PARAFFIN (KEROSENE)



Page 11



AL8

- Mounted on robust frame for standing steadily during construction jobs.
- Completely storm-proof.
- Vitreous enamelled hood.
- Supplied with robust, easily fitted, "Happy" mantle.
- Heat-resisting glass globe (AL8).
- Mica shade (AL9).
- Brass container, finished in black stove enamel.
- Built-in pump, easily removed for servicing.

Well Balanced, Easily  
Portable Lamps



AL9

## SPECIFICATION:—

### AL8. 2,000 Mean Reflected CANDLE POWER

Height	...	...	...	...	23 ins.
Diameter of Reflector	...	...	...	...	12½ ins.
Weight (without Oil)	...	...	...	...	8¾ lbs.
Weight (with Oil)	...	...	...	...	10¼ lbs.
Oil Capacity	...	...	...	...	1½ pints

(Sufficient for 12 burning hours.)

### AL9. 300 CANDLE POWER

Height	...	...	...	...	23 ins.
Weight (without Oil)	...	...	...	...	8 lbs.
Weight (with Oil)	...	...	...	...	9½ lbs.
Oil Capacity	...	...	...	...	1½ pints

(Sufficient for 12 burning hours.)

### AL8 and AL9

### EXPORT PACKING

Packing Unit	Measurement	Gross Weight	Cubic Capacity
6 packed Lamps in wood case	Inches : 36 x 30 x 24 Centimetres : 91.44 x 76.20 x 60.96	1 cwt. 2 qrs. 16 lbs. 83.45 kilos	15 cu. feet 0.42 cu. metres

# TILLEY LAMPS AND RADIATORS


REGD.

# Models ALI5 and ALI6 HAND LAMPS

BURNS ORDINARY PARAFFIN (KEROSENE)



Page 13




ALI5

- Specially designed for easy lightweight carrying.
- Polished reflector.
- Built-in pump, easily removed for servicing.
- Sturdy mica globe.
- Anti-glare hood.
- Robust iron frame designed for ALI6 for standing on rough ground.

An Easily Carried  
Source of Illumination

1,000 Mean Reflected  
CANDLE POWER



ALI6

## SPECIFICATION:—

### ALI5

Height	...	...	...	...	12 ins.
Width	...	...	...	...	8½ ins.
Diameter of Reflector	...	...	...	...	7 ins.
Weight (without Oil)	...	...	...	...	4¾ lbs.
Weight (with Oil)	...	...	...	...	5½ lbs.
Oil Capacity	...	...	...	...	¾ pint

(Sufficient for 5¼ burning hours.)

### ALI6

Height	...	...	...	...	20 ins.
Width	...	...	...	...	8½ ins.
Diameter of Reflector	...	...	...	...	7 ins.
Weight (without Oil)	...	...	...	...	7¼ lbs.
Weight (with Oil)	...	...	...	...	8 lbs.
Oil Capacity	...	...	...	...	¾ pint

(Sufficient for 5¼ burning hours.)

### EXPORT PACKING

Packing Unit	Measurement	Gross Weight	Cubic Capacity
ALI5. 6 packed Lamps in outer carton	Inches : 33 x 22 x 14 Centimetres : 83.82 x 55.88 x 35.56	2 qrs. 6 lbs. 28.12 kilos	6 cu. feet 0.17 cu. metres
ALI6. 6 packed Lamps in wood case	Inches : 36 x 30 x 24 Centimetres : 91.44 x 76.20 x 60.96	1 cwt. 2 qrs. 16 lbs. 83.45 kilos	15 cu. feet 0.43 cu. metres

# TILLEY LAMPS AND RADIATORS


REGD.

# Model ML93 BRACKET LAMP

BURNS ORDINARY PARAFFIN (KEROSENE)



Page 15



A Well Finished Lamp

for Many Purposes

300 CANDLE POWER

“The Duchess”

- Decorative appearance.
- Brass container.
- Built-in pump, easily removed for servicing.
- Finished in cream and polished lacquered brass.
- Heat resisting opal glass shade.
- Can be used as Table Lamp if desired.
- Supplied with robust, easily fitted, “Happy” mantle.
- Bracket suspension, with swivel action, can be supplied at extra charge.

## SPECIFICATION:—

Height ... .. 15 ins.  
 Width (from back of fixing plate) ... .. 15½ ins.  
 Weight (without Oil) ... .. 4¼ lbs.  
 Weight (with Oil) ... .. 5¾ lbs.  
 Burns for approx. 12 hours on 1½ pints of Paraffin (Kerosene).

### EXPORT PACKING

Packing Unit	Measurement	Gross Weight	Cubic Capacity
6 packed Lamps in outer carton	Inches : 33 x 22 x 14 Centimetres : 83.82 x 55.88 x 35.56	1 qr. 26 lbs. 24.49 kilos	6 cu. feet 0.17 cu. metres

# TILLEY LAMPS AND RADIATORS


REGD.

# Model WL25 WALL LAMP

BURNS ORDINARY PARAFFIN (KEROSENE)



Page 17



“The Yeoman”

A  
Simple,  
Portable  
Wall Lamp  
 (Indoor Model)

300  
 CANDLE POWER

- Designed for hanging on a wall.
- Can be equally well stood on a table if required.
- Heat resisting opal glass shade.
- Brass container finished in sprayed metallic gold lacquer.
- An outdoor equivalent of this Lamp, Model SL61, is shown on a separate page.
- Built-in pump, easily removed for servicing.
- Supplied with robust, easily fitted, “Happy” mantle.

## SPECIFICATION:—

Height	...	...	...	...	...	11 ins.
Length	...	...	...	...	...	13 ins.
Width	...	...	...	...	...	7 ins.
Weight (without Oil)	...	...	...	...	...	4½ lbs.
Weight (with Oil)	...	...	...	...	...	5½ lbs.

Burns approx. 12 hours on 1½ pints of Paraffin (Kerosene).

### EXPORT PACKING

Packing Unit	Measurement	Gross Weight	Cubic Capacity
6 packed Lamps in outer carton	Inches : 33 x 22 x 14 Centimetres : 83.82 x 55.88 x 35.56	2 qrs. 6 lbs. 28.12 kilos	6 cu. feet 0.17 cu. metres

# TILLEY LAMPS AND RADIATORS


REGD.

# Model SL61 WALL LAMP

BURNS ORDINARY PARAFFIN (KEROSENE)



Page 19



A Completely  
Stormproof  
Outdoor Lamp

300 CANDLE POWER

- Completely stormproof.
  - Vitreous enamelled hood.
  - Built-in pump, easily removed for servicing.
  - Heat-resisting glass globe.
  - Brass container finished in sprayed metallic gold lacquer.
  - Supplied with robust, easily fitted, "Happy" mantle.
- Designed for hanging on a wall.

## SPECIFICATION:—

Height	...	...	...	...	...	11 ins.	Weight (without Oil)	...	...	...	...	4 lbs.
Length	...	...	...	...	...	13 ins.	Weight (with Oil)	...	...	...	...	5½ lbs.
Width	...	...	...	...	...	7 ins.	Burns approx. 12 hours on 1½ pints of Paraffin (Kerosene).					

### EXPORT PACKING

Packing Unit	Measurement	Gross Weight	Cubic Capacity
6 packed Lamps in outer carton	Inches : 33 x 22 x 14 Centimetres : 83.82 x 55.88 x 35.56	2 qrs. 6 lbs. 28.12 kilos	6 cu. feet 0.17 cu. metres

# TILLEY LAMPS AND RADIATORS


REGD.

# Model KL80 HANGING LAMP

BURNS ORDINARY PARAFFIN (KEROSENE)



Page 21



“The Victor”

## A Handsome Hanging Lamp

300 CANDLE POWER

- An excellent lamp for ceiling suspension.
- Built-in pump, easily removed for servicing.
- Well finished in cream and polished lacquered brass.
- Heat-resisting frosted glass globe.
- Supplied with robust, easily fitted, “Happy” mantle.
- Stove-enamelled 12 in. reflector.

Can also be used as a Table or Wall Lamp when removed from hanging frame.

### SPECIFICATION:—

Height	... ..	24 ins.	Weight (without Oil)	... ..	5½ lbs.
Width	... ..	12 ins.	Weight (with Oil)	... ..	7¼ lbs.
			Burns approx. 12 hours on 1½ pints of Paraffin (Kerosene).		

#### EXPORT PACKING

Packing Unit	Measurement	Gross Weight	Cubic Capacity
24 packed Lamps in wood case	Inches : 48 x 43 x 30 Centimetres : 121.92 x 109.22 x 76.20	3 cwts. 1 qr. 20 lbs. 174.17 kilos	36 cu. feet 1.02 cu. metres

# TILLEY LAMPS AND RADIATORS


REGD.

# Model IL47 INDOOR SUSPENSION LAMP

BURNS ORDINARY PARAFFIN (KEROSENE)



Page 23



“The Warden”

## For Shadowless Overhead Illumination

300 CANDLE POWER

- A handsome Lamp for the illumination of large spaces.
- Copper container.
- Finished in green and gold.
- White enamelled reflector.
- Frosted glass heat-resisting globe.
- An outdoor equivalent of this lamp, OL50, is shown on a separate page.

### SPECIFICATION:—

Height	... ..	25 ins.	Weight (without Oil)	... ..	7½ lbs
Width	... ..	12¾ ins.	Weight (with Oil)	... ..	11¼ lbs.
			Burns approx. 32 hours on 4 pints of Paraffin (Kerosene).		

#### EXPORT PACKING

Packing Unit	Measurement	Gross Weight	Cubic Capacity
24 packed Lamps in wood case	Inches : 48 x 43 x 30 Centimetres : 121.92 x 109.22 x 76.20	3 cwt. 3 qrs. 12 lbs. 195.94 kilos	36 cu. feet 1.02 cu. metres

# TILLEY LAMPS AND RADIATORS

REGD.

# Model OL50 OUTDOOR SUSPENSION LAMP


BURNS ORDINARY PARAFFIN (KEROSENE)

TILLEY LAMP

*I always use them*



Page 25



A Completely  
Stormproof  
All Weather Lamp

(Outdoor Model)

300 CANDLE POWER

- Completely stormproof.
- Copper container.
- Vitreous enamelled reflector.
- Heat-resisting glass globe.
- Shadowless, well distributed light.
- A more powerful version of this outdoor Lamp, 500 c.p. Model OL51, is shown on a separate page.

## SPECIFICATION:—

Overall Height	...	...	...	...	22 ins.
Weight (without Oil)	...	...	...	...	10½ lbs.
Weight (with Oil)	...	...	...	...	14½ lbs.
Diameter of Reflector	...	...	...	...	14 ins.
Oil Capacity	...	...	...	...	4 pints

(Sufficient for 32 burning hours.)

### EXPORT PACKING

Packing Unit	Measurement	Gross Weight	Cubic Capacity
6 packed Lamps in wood case	Inches : 50 x 34 x 18 Centimetres : 127.00 x 86.36 x 45.72	2 cwts. only 101.60 kilos	17 cu. feet 0.49 cu. metres

# TILLEY LAMPS AND RADIATORS


REGD.

# Model OL51 OUTDOOR SUSPENSION LAMP

BURNS ORDINARY PARAFFIN (KEROSENE)



Page 27



## A Completely Stormproof All Weather Lamp

500 CANDLE POWER

- Completely stormproof.
- Copper container.
- Vitreous enamelled reflector.
- Heat-resisting glass globe.
- Shadowless, well distributed light.
- A less powerful version of this outdoor lamp, 300 c.p. Model OL50, is shown on a separate page.

### SPECIFICATION:—

Overall Height ... ..	22 ins.	Diameter of Reflector ... ..	16 ins.
Weight (without Oil) ... ..	11½ lbs.	Oil Capacity ... ..	4 pints.
Weight (with Oil) ... ..	15½ lbs.	(Sufficient for 16 burning hours.)	

### EXPORT PACKING

Packing Unit	Measurement	Gross Weight	Cubic Capacity
6 packed Lamps in wood case	Inches : 50 x 34 x 18 Centimetres : 127.00 x 86.36 x 45.72	2 cwts. 1 qr. 16 lbs. 121.55 kilos	17 cu. feet 0.49 cu. metres

# TILLEY LAMPS AND RADIATORS


REGD.

# THE CHALLOW STORMPROOF LAMP

BURNS ORDINARY PARAFFIN (KEROSENE)



Page 29



Specially  
Designed for  
Station Lighting

300 CANDLE POWER

- Completely stormproof.
- Excellent finish.
- Copper container.
- Vitreous enamelled reflector.
- Designed specially for casting a long narrow beam.
- Heat-resisting glass globe.
- A paraffin lighter, Part No. 254, as shown on the illustration, providing preheating by paraffin from the container, can be supplied at extra charge. *Details on page 34.*

## SPECIFICATION:—

Overall Height	...	...	...	...	22½ ins.
Weight (without Oil)	...	...	...	...	14 lbs.
Weight (with Oil)	...	...	...	...	18 lbs.
Dimensions of Reflector	...	...	21 ins.	x 10 ins.	
Oil Capacity	...	...	...	...	4 pints

(Sufficient for approx. 32 burning hours.)

### EXPORT PACKING

Packing Unit	Measurement	Gross Weight	Cubic Capacity
6 packed Lamps in wood case	Inches : 51 x 38 x 33 Centimetres : 129.54 x 96.52 x 83.82	3 cwts. 2 qrs. 4 lbs. 179.61 kilos	37 cu. feet 1.05 cu. metres

# TILLEY LAMPS AND RADIATORS


REGD.

# Model AL2 I INSPECTION LAMP

BURNS ORDINARY PARAFFIN (KEROSENE)



Page 31



2,000 Mean Reflected

CANDLE POWER

- Beautifully compact.
- Completely stormproof.
- Built-in pump, easily removed for servicing.
- Chromium plated reflector.
- Armour plate glass.
- Absolutely independent of cables or generating sets.
- Excellent black enamel finish.

## SPECIFICATION:—

Breadth 9 ins. x Height 11½ ins. x Width 9 ins.

Weight (without Oil) ... .. 8¼ lbs.

Weight (with Oil) ... .. 9½ lbs.

Diameter of Reflector ... .. 7 ins.

Oil Capacity ... .. 1¼ pints

(Sufficient for 10 burning hours.)

### EXPORT PACKING

Packing Unit	Measurement	Gross Weight	Cubic Capacity
6 packed Lamps in outer carton	Inches : 33 x 22 x 14 Centimetres : 83.82 x 55.88 x 35.56	2 qrs. 18 lbs. 33.56 kilos	6 cu. feet 0.17 cu. metres

# TILLEY LAMPS AND RADIATORS

REGD.

# Model BR49 STORM LANTERN

BURNS ORDINARY PARAFFIN (KEROSENE)



Page 33



## A Completely Stormproof All-Weather Lantern

(Using its own fuel for pre-heating)

- All the advantages of the X.246 Storm Lantern, with the addition of a paraffin lighter enabling pre-heating by paraffin from the container.
- Completely stormproof.
- Vitreous enamelled hood.
- Heat-resisting glass globe.
- Convenient carrying handle.
- Brass container, finished either in sprayed gold lacquer or with highly plated finish.
- 12 in. white enamelled reflector can be supplied at extra charge.
- Built-in pump, easily removed for servicing.

### SPECIFICATION:—

Width (without Reflector) ... ..	7 ins.
Width (with Reflector) ... ..	12 ins.
Height ... ..	15 ins.
Weight (without Oil) ... ..	5 lbs.
Weight (with Oil) ... ..	6½ lbs.
Oil Capacity ... ..	1½ pints

(Sufficient for approx. 12 burning hours.)

# TILLEY LAMPS AND RADIATORS

REGD.

# Model IF54 INFRA-RED HEATER

BURNS ORDINARY PARAFFIN (KEROSENE)



Page 35



A

## Suspension Heater

### for Many Uses

- Specially designed to give infra-red heat from the suspended position.
- Large container giving long burning hours.
- Polished copper reflector.
- Metal mantle.
- Adaptable hanging bracket to give different levels and angles.

- IF REQUIRED, A STANDARD PUMP 439 (as illustrated on page 38) CAN BE SUPPLIED AT EXTRA CHARGE. IT MUST BE BORNE IN MIND, HOWEVER, THAT THE LAMP HAS TO BE PUMPED WHEN SUSPENDED BECAUSE IF STOOD DOWN WHILE ALIGHT, IT MAY SCORCH THE FLOOR.

### SPECIFICATION:—

Width (across Reflector) ... ..	12½ ins.
Width (through Reflector) ... ..	17 ins.
Height ... ..	17 ins.
Weight (without Oil) ... ..	7½ lbs.

Weight (with Oil) ... ..	13½ lbs.
Oil Capacity ... ..	6 pints

(Sufficient for approx. 48 burning hours.)

# TILLEY LAMPS AND RADIATORS


REGD.

# Model R55 LONG BURNING RADIATOR

BURNS ORDINARY PARAFFIN (KEROSENE)



Page 37



## Completely Portable

## Long Burning Radiator

- Easily Portable.
- Burns for 48 hours at one filling.
- Economical consumption of Paraffin.
- Regulation safety fireguard.
- Permanently brightly plated reflector.
- Container finished in cream.
- Built-in pump, easily removed for servicing.

### SPECIFICATION:—

Width	...	...	...	...	...	...	14½ ins.	Weight (with Oil)	...	...	...	...	13¾ lbs.
Height	...	...	...	...	...	...	20½ ins.	Capacity	...	...	...	...	6 pints
Weight (without Oil)	...	...	...	...	...	...	7¾ lbs.	(Gives approx. 48 hours of good radiant heat.)					

# TILLEY LAMPS AND RADIATORS

REGD.



**THE  
TILLEY LAMP COMPANY**

is an Old Established Family Business.

All components of the varied range of production are subjected to thorough inspection and test before leaving the works.

Everything produced is of the highest quality and while prices are as keen as possible, quality is the first consideration.



**THE TILLEY LAMP COMPANY LTD.  
TILAMP HOUSE**

**70/72 JERMYN STREET, PICCADILLY, LONDON, S.W.1**

Telephone: TRAFALGA 5424-8

Cables: TILAMP, LONDON